

**LISTING AND AMENDMENTS TO THE CLAIMS**

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently amended) A method for organizing e-mail messages comprising the steps of:  
    indicating at least one first e-mail message in a user mailbox;  
    associating the at least one first e-mail with a second e-mail by enabling an association option, wherein said association step further comprises enabling an options list to appear with respect to the at least one first e-mail message;  
        selecting an associate option on the options list; and  
        selecting the second e-mail, wherein the second e-mail is caused to be  
        automatically associated to the at least one first e-mail to form an associated group of  
        e-mails; and  
    forming an associated group of e-mails in the user mailbox comprising at least two or more associated e-mails.
2. (Cancelled)
3. (Currently amended) The method of claim 2 1, further comprising the step of providing a show associations and a hide associations option on the options list.
4. (Previously presented) The method of claim 3, further comprising the step of showing the associated first and second e-mails of a sent e-mail message to a recipient when the show associations option is selected.
5. (Previously presented) The method of claim 3, further comprising the step of hiding the associated group of e-mails of a sent e-mail message from a recipient when the hide associations option is selected.
6. (Original) The method of claim 1, further comprising the step of providing a collapsability and expandability feature for the associated group.

7. (Original) The method of claim 6, further comprising the step of providing a first graphical indicator for indicating when the associated group is expanded and a second graphical indicator for indicating when the associated group is collapsed.

8. (Original) The method of claim 1, further comprising the step of providing e-mail operations for performing on the associated group of e-mails.

9. (Currently amended) A method for organizing e-mail messages comprising the steps of:  
    creating a user-defined discussion topic heading, said discussion topic heading appearing as an entry in at least one of a user's mailboxes;  
    associating at least one e-mail message to the user-defined discussion topic heading to form an associated e-mail-to-topic group;  
    controlling whether at least one of the user-defined discussion topic heading and at least one associated email is to be displayed to a recipient of the at least one email message  
    by selecting at least one of a show associations option and a hide associations option on a reply e-mail to be sent to a recipient; and  
    showing at least one of the discussion topic heading and associated e-mails of the reply e-mail to the recipient if the show associations option is selected.

10. (Previously presented) The method of claim 9, wherein the step of associating further comprises the steps of:

    enabling an options list to appear with respect to the user-defined discussion topic heading;

    selecting an associate option on the options list; and

    indicating at least one e-mail message; wherein the at least one e-mail is caused to be automatically associated to the user-defined discussion topic heading to form the associated e-mail-to-topic group.

11. (Previously presented) The method of claim 10, further comprising the steps of  
providing a show associations and a hide associations option on the options list; and  
selecting at least one of the show associations option and the hide associations option  
on a reply e-mail message to be sent to a recipient.
12. (Previously presented) The method of claim 11, further comprising the step of showing at  
least one of the user-defined discussion topic heading and associated e-mails of the reply e-  
mail message to the recipient if the show associations option is selected.
13. (Previously presented) The method of claim 11, further comprising the step of hiding at  
least one of the discussion topic heading and associated e-mails of the reply e-mail message  
to the recipient if the hide associations option is selected.
14. (Original) The method of claim 9, further comprising the step of providing a  
collapsability and expandability feature for the associated e-mail-to-topic group.
15. (Currently amended) An e-mail system comprising:  
an associate feature for providing e-mail organization capabilities to the user by  
organizing e-mail messages to form at least one of an associated group of e-mails or an  
associated e-mail-to-topic group in at least one of the user's mailboxes, wherein the  
associated group of e-mails is formed by the user causing an options list to appear with  
respect to at least one first e-mail message, selecting an associate feature from said options  
list, and ~~indicating~~ selecting a second e-mail, ~~wherein for causing the second e-mail is caused~~  
to be automatically associated to the at least one first e-mail to form the associated group of  
e-mails.
16. (Previously presented) The system of claim 15, wherein the options list is provided with  
respect to each e-mail message, said options list including said associate feature.
17. (Cancelled)

18. (Previously presented) The system of claim 16, wherein the associated e-mail-to-topic group is formed by creating a user-defined discussion topic heading, causing the options list to appear with respect to at least one e-mail message, selecting the associate feature from said options list, and indicating the discussion topic heading, wherein the at least one e-mail message is caused to be automatically associated to the discussion topic to form the associated e-mail-to-topic group and said discussion topic heading appears as an additional field in said at least one e-mail message.

19. (Original) The system of claim 16, further comprising a show associations feature and a hide associations feature on the options list.

20. (Original) The system of claim 15, further comprising an auto-process feature for automatically parsing a received e-mail to search for an existing discussion thread, wherein if an existing discussion thread is found, the received e-mail is automatically associated to the discussion thread.